

## AMENDMENT TO THE CLAIMS

1. (Currently Amended) A combination~~Combination~~ comprising a container and an empty bag that can be unfolded from a flat, empty state into a filled final state; wherein the container has a walled enclosure that defines a container chamber, which walled enclosure comprises a base and a peripheral wall that is upright in the height direction from the base; wherein the bag comprises a first, a second, a third and a fourth sheet for forming, respectively, a first, second third and fourth bag wall; wherein the first sheet is joined to the second sheet via the third and the fourth sheet; wherein, in the flat empty state, the third and the fourth sheet are each folded along a fold line; wherein, in the flat, empty state, the fold line of the third sheet and the fold line of the fourth sheet are between the first and the second sheet facing one another; wherein the fold lines extend essentially in the height direction of the container; wherein the first sheet of the bag is provided with a first opening for emptying the bag, the first opening being connected to the peripheral wall; wherein the foldable bag in the filled final state has dimensions that essentially correspond to those of the container chamber; characterized in that wherein the first sheet of the bag is provided with a second opening for filling the bag; ~~in that~~wherein the first opening and second opening are fixed to the walled enclosure; ~~in that~~wherein the first opening is provided at the base of the container and the second opening is provided at the top of the peripheral wall such that, between the first opening and second opening, the bag is in contact with the peripheral wall over essentially the entire height of the peripheral wall as well that, with the container upright and from the flat, empty state, the bag unfolds from the first opening along the base and from the base into the top of the container chamber.

2. (Currently Amended) The combination~~Combination~~ according to c~~l~~aim 1, wherein the container chamber is essentially block-shaped or cylindrical.

3. (Currently Amended)     The combination~~Combination~~ according to C~~c~~laim 2, wherein the first and second sheet each have two mutually parallel side edges running in the height direction; wherein,~~on the one hand,~~ the first sheet is joined together with the third and fourth sheet and, ~~on the other hand,~~ the second sheet is joined together with the third and fourth sheet at the tops and bottoms thereof along an oblique seal, viewed with respect to the side edges, such that in the completely filled state the seals essentially determine the diagonals of the bottom surface and the top surface of the bag.
4. (Currently Amended)     The combination~~Combination~~ according to c~~c~~laim 3, wherein a top rib/axis runs between the outward-pointing ends of the top oblique seals of the first sheet; and wherein a bottom rib/axis runs between the outward-pointing ends of the bottom oblique seals of the first sheet.
5. (Currently Amended)     The combination~~Combination~~ according to C~~c~~laim 4, wherein the distance from,~~on the one hand,~~ the second opening to,~~on the other hand,~~ the top rib/axis is at most 25% of the depth of the container chamber, viewed horizontally and transversely to the top rib/axis, wherein said distance is ~~preferably at most 15%, such as at most 10%,~~ of said depth.
6. (Currently Amended)     The combination~~Combination~~ according to ~~one of Claims 4—5~~C~~c~~laim 4, wherein the distance from, on the one hand, the first opening to,~~on the other hand,~~ the bottom rib/axis is at most 25% of the depth of the container chamber, viewed horizontally and transversely to the bottom rib/axis, wherein said distance is ~~preferably at most 15%, such as at most 10%,~~ of said depth.
7. (Currently Amended)     The combination~~Combination~~ according to ~~one of the preceding claims,~~C~~c~~laim 1, wherein the walled enclosure of the container has a ceiling that delimits the container chamber from above and wherein a portion of the bag facing upwards in the filled final state is provided with the second

opening.

8. (Currently Amended) The combination~~Combination~~ according to ~~one of the preceding claims~~claim 1, wherein the fold line of the third sheet in the initial state extends underneath the first opening to form a channel between the first and second sheet past the first opening.
9. (Currently Amended) The combination~~Combination~~ according to claim 8, wherein the fold line of the fourth sheet in the initial state extends underneath the first opening to form a channel between the first and second sheet past the first opening.
10. (Currently Amended) The combination~~Combination~~ according to claim 8 ~~or 9~~, ~~characterised in that~~wherein the first opening has been made close to the longitudinal ~~centre-center~~ line of the first sheet, wherein the fold lines in the third and ~~optionally~~ fourth sheet in the initial state extend essentially parallel to and close to said longitudinal ~~centre~~center line.
11. (Currently Amended) The combination~~Combination~~ according to claim 8 ~~or 9~~, ~~characterised in that~~wherein the distance between the fold line in, respectively, the third and fourth sheet in the initial state is less than 90%, preferably less than 80%, of the diameter of the opening.
12. (Currently Amended) The combination~~Combination~~ according to ~~one of claims claim 8-11~~, wherein, viewed transversely to the fold line of the third sheet, the greatest distance to the periphery of the opening of the first opening is at least 5% ~~, preferably at least 15%, such as at least 20%~~, of the maximum passage width of said opening, viewed transversely to the fold line of the third sheet.
13. (Currently Amended) The combination~~Combination~~ according to ~~one of claims 8-12~~claim 8, wherein, viewed transversely to the fold line ~~(41)~~ of the fourth sheet ~~(40)~~, the greatest distance to the periphery of the first opening ~~(16)~~ is at least 5%, ~~preferably at least 15%, such as at least 20%~~, of the maximum passage width of

said opening, viewed transversely to the fold line ~~(44)~~ of the fourth sheet ~~(40)~~.

14. (Currently Amended) A method~~Method~~ for the use of a combination according to ~~one of the preceding claims,~~Claim 1 wherein the flat empty bag is first fixed by the first and second fixing against the walled enclosure of the container chamber and only then is the bag filled with a filling via the second opening ~~(15,~~  
~~105)~~.

15. (Currently Amended) A method~~Method~~ for the use of a combination according to ~~one of claims 1-13~~Claim 1 or a method according to claim 14, wherein the bag is emptied, or at least the final portion of the bag is emptied, via the first opening ~~(16)~~.